



ATLANTA WAREHOUSE
3939 Royal Drive, Suite 139
Kennesaw, GA 30144

UTAH WAREHOUSE
647 West Billinis Road, Unit 1
Salt Lake City, Utah 84119

Certificate of Analysis

GLYCERIN – Kosher Grade
Glycerin 99.7% Kosher / USP Grade
Batch Number: 02016-EA

DATE OF MANUFACTURE: February 1, 2016
DATE OF EXPIRY/RE-TEST: January 31, 2017

<u>Test</u>	<u>Result</u>	<u>Specification</u>
Assay % by wt.	99.7	99.7 Min
Color, APHA	7.0	< 15
Specific Gravity 25°C	1.2613	1.2612 Min.
Residue on Ignition (%)	0.001	< 0.005
Chlorides (ppm)	< 1.0	< 10
Sulfates (ppm)	< 1.0	< 20
Chlorinated Compounds (ppm)	< 1.0	< 5
Moisture (%)	0.3	0.30 max
Fatty Acids & Esters (titrant: 0.5N NaOH)	NMT 0.3	< NMT 1.0 ml
Arsenic (ppm)	< 1.0	1.5
Heavy Metals (ppm)	< 1.0	< 5
Ethylene Glycol Content (%)	< 0.001	< 0.1
Diethylene Glycol Content (%)	< 0.001	< 0.1
Identification By IR	PASS	Match to Standard
Identification By GC	PASS	Match to Standard
USP Monogram	PASS	Match to Standard