

ATLANTA WAREHOUSE 3939 Royal Drive, Suite 139 Kennesaw, GA 30144 UTAH WAREHOUSE

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# **Safety Data Sheet**

According to OSHA Hazard Communication 29 CFR Part 1910.1200

## **SECTION 1. Identification**

Product Code 10027

Product Name: Dipropylene Glycol Frag. Grade

### SECTION 2. Hazard(s) Identification

\*\*\* EMERGENCY OVERVIEW \*\*\*: No Information

**GHS Classification** 

Symbol(s) of Product

No GHS Symbols Exist

Signal Word

No Signal Word has been assigned

# SECTION 3. Composition/Information on Ingredients

Chemical Name CAS-No. Wt. % GHS Symbols GHS Statements

No hazardous items exist

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.



ATLANTA WAREHOUSE 3939 Royal Drive, Suite 139

Kennesaw, GA 30144

**UTAH WAREHOUSE** 

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

#### **SECTION 4. First-Aid Measures**



**FIRST AID - EYE CONTACT:** Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

FIRST AID - SKIN CONTACT: Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated shoes and clothes and clean before reuse.

**FIRST AID - INHALATION:** Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention.

FIRST AID - INGESTION: Do not induce vomiting. Do not give liquids. Obtain emergency medical attention.

#### SECTION 5. Fire-Fighting Measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: No Information

**SPECIAL FIREFIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire. Water spray to cool containers or protect personnel. Use with caution.

EXTINGUISHING MEDIA: None Known

#### SECTION 6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASE OR SPILLED: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Use only noncombustible material for clean-up. Eliminate all ignition sources. Prevent additional discharge of material if able to do so safely. Do not touch or walk through spilled material. Stay upwind of spill. Ventilate spill area. Collect spilled materials for disposal. Wear appropriate personal protective equipment. (See Exposure Controls / Personal Protection Section.)

#### SECTION 7. Handling and Storage



HANDLING: Use only in a well ventilated area. Follow all MSDS/label precautions even after containers are emptied because they may retain product residues. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor, fumes or mist.

**STORAGE:** Keep away from heat, sparks, and flame. Keep container closed when not in use. Store containers in a cool, well ventilated place.



# ATLANTA WAREHOUSE

3939 Royal Drive, Suite 139 Kennesaw, GA 30144

## **UTAH WAREHOUSE**

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

### SECTION 8. Exposure Controls/Personal Protection

#### Ingredients with Occupational Exposure Limits

Chemical Name ACGIH TLV-TWA ACGIH-TLV STEL OSHA PEL-TWA OSHA PEL-CEILING

No hazardous items exist

#### **Personal Protection**



**RESPIRATORY PROTECTION:** NIOSH/MSHA approved respirators may be necessary if airborne concentrations are expected to exceed exposure limits.



SKIN PROTECTION: Wear impervious gloves to prevent contact with the skin.



EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.



**OTHER PROTECTIVE EQUIPMENT:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



**HYGENIC PRACTICES:** Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Do not eat, drink, or smoke in areas where this material is used.

# **SECTION 9. Physical and Chemical Properties**

Appearance:		Physical State:		
	Clear, colorless	-	Liquid	
Odor:	Odorless	Odor Threshold:	N.D.	
Density, g/cm3:	1.022	pH:	N.D.	
Freeze Point, °F:	N.D.	Viscosity:	N.D.	
Solubility in Water:	Miscible	Explosive Limits, vol%:	N.D.	
Boiling Range, °F:	441 - 450	Flash Point, °F:	280	
Evaporation Rate:	less than .01 (n-butyl acetate=1)	Auto-ignition Temp., °F:	N.D.	
Vapor Density:	4.6 (air=1)	Vapor Pressure:	N.D.	

(See "Other information" Section for abbreviation legend)



# ATLANTA WAREHOUSE

3939 Royal Drive, Suite 139 Kennesaw, GA 30144

# **UTAH WAREHOUSE**

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

# SECTION 10. Stability and Reactivity

STABILITY: No Information

CONDITIONS TO AVOID: Avoid excess heat and sources of ignition.

**INCOMPATIBILITY: No Information** 

HAZARDOUS DECOMPOSITION PRODUCTS: No Information

HAZARDOUS POLYMERIZATION: No Information

## **SECTION 11. Toxicological Information**



Information on Toxicological Effects

EFFECTS OF OVEREXPOSURE - INHALATION: Low order of toxicity.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: May cause skin irritation.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Contact with the eye may cause moderate irritation.

EFFECTS OF OVEREXPOSURE - INGESTION: Expected to be a low ingestion hazard.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: No Information

Primary Route(s) of Entry: No Information

#### Acute Toxicity Values The acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name according to EEC	Oral LD50, mg/kg	Dermal LD50, mg/kg	Vapor LC50, mg/L
No				
hazardous				
items exist				

#### SECTION 12. Ecological Information

ECOLOGICAL INFORMATION: No Information



ATLANTA WAREHOUSE

3939 Royal Drive, Suite 139 Kennesaw, GA 30144

### **UTAH WAREHOUSE**

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

#### SECTION 13. Disposal Considerations

K

For more guidance and information contact our Waste Services Division at (262) 658-4000.

Always dispose of any waste in accordance with all local, state, and federal regulations.

DISPOSAL METHOD: Dispose of waste in accordance with all local, state and federal regulations.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASE OR SPILLED: Absorb spill with inert material (e.g. dry sand or earth),

then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Use only noncombustible material for clean-up. Eliminate all ignition sources. Prevent additional discharge of material if able to do so safely. Do not touch or walk through spilled material. Stay upwind of spill. Ventilate spill area. Collect spilled materials for disposal. Wear appropriate personal protective equipment. (See Exposure Controls / Personal Protection Section.)

#### SECTION 14. Transport Information

**DOT Proper Shipping** Not Regulated Name:

Packing Group:

No Information

DOT Hazard Class: DOT UN/NA Number: No Information No Information Hazard SubClass: Resp. Guide Page: No Information No Information

### **SECTION 15. Regulatory Information**

#### U.S. Federal Regulations:

#### **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

None Known

#### SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

#### TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA components exist in this product.



F

ChemWorld.com Worldwide Online Ordering and Consulting

ATLANTA WAREHOUSE

3939 Royal Drive, Suite 139 Kennesaw, GA 30144

### **UTAH WAREHOUSE**

647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

#### U.S. State Regulations: **NEW JERSEY RIGHT-TO-KNOW:**

The following materials are non-hazardous, but are	among the top five components in this product.
Chemical Name	CAS-No.
1,1-Oxydi-2-propanol	25265-71-8
PENNSYLVANIA RIGHT-TO-KNOW	
The following non-bazardous ingredients are prese	nt in the product are at an greater than 2%

The following non-hazardous ingredients are present in the pr oduct are at or greater than 3%. Chemical Name CAS-No. 1,1-Oxydi-2-propanol 25265-71-8

**CALIFORNIA PROPOSITION 65 CARCINOGENS** 

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

No Proposition 65 Carcinogens exist in this product.

#### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

# International Regulations: As follows -

#### CANADIAN WHMIS:

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class: No Information

SECTION 16. Other Information							
Revision Date:		9/1/2016		Supersedes Date:		6/23/2015	
Datasheet produced by:		EH&S - Regu	EH&S - Regulatory Department				
HMIS Rating	s:						
Health:	0	Flammability:	1	Reactivity:	0	Personal Protection:	Х
Volatile Organic Compounds, gr/ltr: 1,020							1

#### Volatile Organic Compounds, gr/ltr:

DISCLAIMER: THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT REPORTED HEREIN, IF ANY, IS BASED ON A MATERIAL VOC CALCULATION. NOTE THAT SEVERAL METHODS ARE USED FOR CALCULATING VOC CONTENT AND THAT STANDARDS/ REQUIREMENTS REGARDING VOC CONTENT VARY BY LOCATION/JURISDICTION. ACCORDINGLY, EMCO MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, REGARDING THIS MATERIAL'S COMPLIANCE WITH VOC STANDARDS/ REQUIREMENTS APPLICABLE IN LOCATIONS/JURISDICTIONS WHERE THIS MATERIAL MAY BE SOLD OR USED.

#### Icons for GHS Pictograms shown in Section 3 describing each ingredient:

No GHS Pictograms exist for Section 3

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information



ATLANTA WAREHOUSE 3939 Royal Drive, Suite 139 Kennesaw, GA 30144 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

# Safety Data Sheet

According to OSHA Hazard Communication 29 CFR Part 1910.1200

The information on this SDS was obtained from sources which we believe to be reliable. However, the information provided is without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information and recommendations are offered for the user's consideration and examination and should be used to make an independent determination of the methods to safeguard workers and the environment. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For these reasons we do not assume responsibility and expressly disclaim any liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS may not be applicable. It is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.