MATERIAL SAFETY DATA SHEET **OXYGEN SCAVENGER 1537**

SECTION 1: IDENTIFICATION

> Company Name: CHEMWORLD

> > Address: 885 Woodstock Rd, Ste 430-111

> > > Roswell, GA 30075

Phone No. (800) 768-5810

Fax No. (877) 209-1556

Emergency Phone No. CHEM-TEL 800-255-3924

Date Prepared: 3/25/08 Date Revised: 5/7/09

SECTION 2: INGREDIENTS

> % **MATERIAL** CAS NO. SODIUM SULFITE 7757-83-7 5 - 15POTASSIUM SULFITE 10117-38-1 5 - 10

SECTION 3: HEALTH HAZARDS

> Ingestion: MAY BE TOXIC IN CONCENTRATED FORM. DO NOT TAKE INTERNALLY.

Inhalation: NOT A LIKELY ROUTE OF EXPOSURE. INHALATION OF MIST MAY BE IRRITATING

TO RESPIRATORY TRACT.

Skin Contact: **NOT AN IRRITANT** Eve Contact: CAUSES IRRITATION.

Other Information: OTHER THAN ACUTE EFFECTS LISTED ABOVE, NO LONG TERM EFFECTS

KNOWN.

SECTION 4: FIRST AID

> Ingestion: DRINK SEVERAL GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING.

> > NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET

MEDICAL ATTENTION.

REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS Inhalation:

PERSIST.

Skin Contact: WASH WITH PLAIN WATER OR SOAP AND WATER.

Eye Contact: IMMEDIATELY FLUSH WITH CLEAR WATER FOR 15 MINUTES AND GET MEDICAL

ATTENTION IF IRRITATION PERSISTS.

Notes to Physician: NO ANTIDOTES KNOWN. TREAT SYMPTOMS SUPPORTIVELY.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

NONE Flash Point/Method: Upper/Lower Limit in Air: N.A./N.A.

WATER OR ANY MEDIA SUITABLE FOR THE SURROUNDING FIRE. Extinguishing Media:

> Procedures: FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT. SELF-

> > CONTAINED BREATHING APPARATUS SHOULD BE USED IN CONFINED AREAS.

Unusual Hazards: NONE

Combustion Products: OXIDES OF SULFUR MAY BE GENERATED DURING DECOMPOSITION.

SECTION 6: ACCIDENTAL RELEASE MEASURES

WEAR PERSONAL PROTECTIVE EQUIPMENT AS RECOMMENDED IN SECTION 8. Personal Precautions: **Environmental Precautions:** THIS PRODUCT HAS A LOW HAZARD POTENTIAL IF RELEASED INTO THE

ENVIRONMENT ACCIDENTLY.

Procedures for Clean Up: SMALL SPILLS MAY BE FLUSHED WITH COPIOUS QUANTITIES OF WATER,

PREFERABLY TO A SANITARY SEWER. LIQUID MAY BE ABSORBED IN SAWDUST

OR ANY AVAILABLE ABSORBANT AND SWEEPINGS DISPOSED OF IN A

LANDFILL. OBEY ALL FEDERAL, STATE OR LOCAL REGULATIONS.

NONE Prohibited Materials:

MATERIAL SAFETY DATA SHEET OXYGEN SCAVENGER 1537

SECTION 7: HANDLING AND STORAGE

Handling: NORMAL INDUSTRIAL HANDLING PRACTICES.
Storage: KEEP OUT OF REACH OF CHILDREN. STORE IN A COOL, DRY PLACE. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. DO NOT ALLOW TO FREEZE.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Precautionary Measures: | STANDARD INDUSTRIAL HANDLING PRECAUTIONS. WASH THOROUGHLY

AFTER HANDLING CHEMICALS.

Engineering Controls: USE WITH ADEQUATE VENTILATION TO KEEP EXPOSURES BELOW

OCCUPATIONAL EXPOSURE LIMITS.

Control Limits: NONE

Equipment for Personal

Protection: SAFETY GLASSES WITH SIDE SHIELDS AND IMPERMEABLE GLOVES SHOULD

BE WORN WHEN HANDLING THE CONCENTRATED PRODUCT. EYEWASH

STATION AND SAFETY SHOWER IN AREA OF USE.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: CLEAR LIQUID

Odor: CHARACTERISTIC

pH (undiluted): 6.5-7.5
Specific Gravity: 1.20-1.22
Density: 10.1 lbs./gal.
Solubility in Water: COMPLETE

Boiling Point: 212°F
Percent Volatile: >70 (WATER)

Vapor Pressure (mmHg): N.D. Vapor Density: N.D.

Evaporation Rate: (water=1): ~1

SECTION 10: STABILITY AND REACTIVITY

Stability: STABLE
Conditions to Avoid: NONE
Hazardous Polymerization: STABLE
Conditions to Avoid: NONE

Incompatibility: MAY REACT WITH STRONG OXIDIZING AGENTS OR ACIDS.

Hazardous Decomposition

Products: | IF WATER EVAPORATED, OXIDES OF SULFUR COULD BE PRODUCED BY

COMBUSTION.

SECTION 11: TOXICOLOGICAL INFORMATION

Material & Tests: | SODIUM SULFITE: ORAL LD50 (MOUSE) = 820 mg/kg.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: SODIUM SULFITE: 96 HR LC50 (GOLDFISH) = 100 mg/l; 24, 48, 96 HR TLm (MOSQUITO FISH) = 2600 ppm.

SECTION 13: DISPOSAL CONSIDERATIONS

General Considerations: THIS PRODUCT IS NOT A HAZARDOUS WASTE.

Procedures: DISPOSAL BY USE PREFERRED BUT IF THIS NOT POSSIBLE, DILUTE WITH COPIOUS QUANTITIES OF WATER AND FLUSH TO WASTE, PREFERABLY TO A SANITARY SEWER. OBEY ALL FEDERAL, STATE OR LOCAL REGULATIONS.

MATERIAL SAFETY DATA SHEET OXYGEN SCAVENGER 1537

SECTION 14: TRANSPORT INFORMATION

LATED BY US D.O.T.)
J

SECTION 15:

REGULATORY INFORMATION

SECTION 15:	REGULATORY INFORMATION				
Regulation CERCLA (40 CFR302.4):	<u>Material</u> NONE	RQ	Max. %		
SARA 302 (Sect. 355, Appendix A):	<u>Material</u> NONE	<u>TPQ</u>	Max. %		
SARA 311/312:	<u>Categories</u> IMMEDIATE HEALTH	_	<u>Hazards</u> EYE IRRITANT		
SARA 313 (40 CFR 372.45):	Material NONE		<u>Max. %</u>		
CWA (40 CFR 401.15):	NONE				
RCRA (40 CFR 261):	NONE				
OSHA (29 CFR 1910.1200):	ALL COMPONENTS LISTED UNDER THIS STANDARD ARE SHOWN IN SECTION 2 OF THIS MSDS.				
TSCA:					

SPECIAL STATE REGULATIONS

STATE INGREDIENT %	REGULATORY DESIGNATION
--------------------	------------------------

SECTION 16 OTHER INFORMATION

SUGGESTED HAZARD RATINGS

<u>NFPA</u> * 1	<u>HAZARD</u> HEALTH (Blue)	<u>HMIS</u> * 1
0	FIRE (Red)	0
0	REACTIVITY (Yellow)	0
	PERSONAL PROTECTION	В
	SPECIAL HAZARDS	

^{*}Notes: 0 = Insignificant; 1 = Slight; 2 = Moderate; 3 = High; 4 = Extreme

The data contained in this Material Safety Data Sheet has been prepared based upon an evaluation of the ingredients in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Use or dissemination of all or part of this information for any other purpose is prohibited by law.