

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

SECTION 1 · COMPANY AND PRODUCT IDENTIFICATION

PRODUCT

Product Name: PEG 200 Control Number: 00197

Product Description: Polyethylene Glycol

COMPANY IDENTIFICATION

Supplier: CHEMWORLD.COM

885 Woodstock Rd., Ste 430-111

Roswell, GA 30075

24 Hour Emergency Telephone: ChemTel: 1 (800) 255-3924 **General Information:** (800) 658-7716, (770) 331-5429

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification:

[Health] [Environmental] [Physical]

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

Pictograms

Signal Word: Warning

Hazard statement(s)

Precautionary statement(s)

SECTION 3 · COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME CAS Number %WT

Polyethylene Glycol 25322-68-3 100

SECTION 4 · FIRST AID MEASURES

FIRST AID PROCEDURES:

Eye Contact: Flush eyes with water as a precaution. Seek medical advice.

Skin Contact: Wash with soap and water. Seek medical advice.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Seek medical advice. **Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical advice.

SECTION 5 · FIRE FIGHTING MEASURES

Suitable Extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous combustion products: Oxides of carbon and various hydrocarbons

Fire Fighting Procedures: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH

(approved or equivalent), and full protective gear.

Unusual Fire and Explosion Hazards: This material poses no known fire or explosion hazards.



GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

SECTION 6 · ACCIDENTAL RELEASE and DISPOSAL MEASURES

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

SECTION 7 · STORAGE AND HANDLING

Handling: Do not get in eyes, on skin or on clothing. Do not breathe dust, vapors or mists.

Storage: Keep container closed and tightly sealed when not in use. Use good hygiene practices.

Store in a cool, dry, ventilated area, away from incompatible substances. Store only in approved properly labeled containers.

SECTION 8 · EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Provide explosion-proof ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated below.

Exposure Limits: Polyethylene Glycol 10 mg/m3 ACGIH 10 mg/m3 OSHA

Personal Protective Equipment (PPE):

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

Skin: If prolonged or repeated skin contact is likely, wear appropriate protective gloves.

Clothing: Selection of protective clothing depends on work conditions, potential exposure conditions and may include gloves, boots, suits and other protective items.

Respirators: Where adequate ventilation is not available an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard, 29 CFR 1920.134. In confined areas, use a self-contained breathing apparatus.

Other Equipment: Eye wash station and shower in close proximity to use are advised.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: 428 ^oF Flammability Limits: Not applicable

Autoignition Temperature:581 °FSpecific Gravity:1.124Boiling Point:> 572 °FVolatile %:No available dataMelting/Freezing Point:-67 / -40 °FEvaporation Rate (Water = 1):1

Vapor Pressure: <0.1 mmHg pH: 6-7 (10 g/l)

Vapor Density (Air-1): > 1 Solubility in Water: No available data

Odor/Appearance: Clear viscous liquid with alcohol-like odor.

SECTION 10 · STABILITY AND REACTIVITY

Chemical Stability: Stable under normal use and temperature conditions.

Conditions to Avoid: None known.

Incompatible materials: Strong oxidizing agents.

Decomposition Products: When combusted, oxides of carbon and various hydrocarbons.

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

SECTION 11 · TOXILOGICAL INFORMATION

Signs and Symptoms of Overexposure:

Skin: Brief contact is not irritating. Prolonged contact, as with clothing wetted with material, may cause defatting of skin or irritation, seen as local redness with possible mild discomfort.

Eyes: May cause irritation, experienced as mild discomfort and seen as slight excess redness of the eye. **Inhalation:** Vapors or mist in high concentrations, as generated from spraying or heating, may cause irritation.

Ingestion: If swallowed in large quantities, abdominal discomfort, nausea, and diarrhea are expected.

Acute oral toxicity: LD50 rat: 30,200 mg/kg Acute inhalation toxicity: LC50 rat: 20,000 mg/kg Acute dermal toxicity: LD50 rabbit: 20,000 mg/kg

SECTION 12 · ECOLOGICAL INFORMATION

Aquatic Toxicity: Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h

Bio-accumulative potential: Does not accumulate.

Mobility: Not determined

SECTION 13 · DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

SECTION 14 · TRANSPORTATION

U.S. DEPARTMENT OF TRANSPORTATION (Road or Rail):

Proper Shipping Name: Not a DOT Regulated Material

Hazard Class: UN Number: Packaging Group:

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

SECTION 15 · REGULATORY INFORMATION

US FEDERAL REGULATIONS

Comprehensive Environmental Response and Liability Act (CERCLA)

This material is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Toxic Substance Control Act (TSCA): All components of this product are listed on the TSCA inventory list.

SARA Section 311/312 (40 CFR 370) Hazard Categories:

No SARA hazards.

SARA Section 313 (40 CFR 372) Hazard Categories: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances under the CWA

Clean Air Act: None of the chemicals in this product are listed as Hazardous Substances under the CAA.

California Prop 65: This product contains no chemicals known by the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16 · OTHER INFORMATION

MSDS Revision Date: January 2015

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of individuals trained in the NFPA system.

Health: 0 Flammability: 1 Reactivity: 0

The information above is believed to be accurate and represents the best information currently available to us. However, Chemworld.com makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Chemworld.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Chemworld.com has been advised of the possibility of such damages. The vendor assumes no responsibility for injury or damages resulting from the inappropriate alteration or manipulation of this MSDS and its contents from that originally submitted by Chemworld.com.