# SAFETY DATA SHEET

#### 1. Identification

Product identifier DEFOAM S
Other means of identification None.
Recommended use Defoamer
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ChemWorld
Address 885 Woodstock Rd.
Ste 430-111

Roswell, GA 30075 United States (800) 668-7716

Telephone (800) 668-7716

Website www.chemworld.com

E-mail Sales@ChemWorld.com

Emergency phone number +1-(800)-255-3924 ChemTel

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

## **Mixtures**

| Chemical name            | Common name and synonyms | CAS number | %        |
|--------------------------|--------------------------|------------|----------|
| Formaldehyde             |                          | 50-00-0    | 0.1 - 1  |
| Methanol                 |                          | 67-56-1    | 0.1 - 1  |
| Other components below r | reportable levels        |            | 80 - 100 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Material name: DEFOAM S SDS US

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Direct contact with eyes may cause temporary irritation.

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid prolonged exposure. Use care in handling/storage.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Value

Value

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Components Type

| •                          | ••   |          |
|----------------------------|------|----------|
| Formaldehyde (CAS 50-00-0) | STEL | 2 ppm    |
| 00 00 0)                   | TWA  | 0.75 ppm |

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Type

| Methanol (CAS 67-56-1) | PEL | 260 mg/m3 |
|------------------------|-----|-----------|
|                        |     | 200 ppm   |

| US. ACGIH Threshold Limit Value Components | es<br>Type | Value   |  |
|--------------------------------------------|------------|---------|--|
| Formaldehyde (CAS 50-00-0)                 | Ceiling    | 0.3 ppm |  |
| Methanol (CAS 67-56-1)                     | STEL       | 250 ppm |  |

Material name: DEFOAM S SDS US **US. ACGIH Threshold Limit Values** 

| Components                     | Туре          | Value     |  |
|--------------------------------|---------------|-----------|--|
|                                | TWA           | 200 ppm   |  |
| US. NIOSH: Pocket Guide to Che | mical Hazards |           |  |
| Components                     | Туре          | Value     |  |
| Formaldehyde (CAS 50-00-0)     | Ceiling       | 0.1 ppm   |  |
| ,                              | TWA           | 0.016 ppm |  |
| Methanol (CAS 67-56-1)         | STEL          | 325 mg/m3 |  |
|                                |               | 250 ppm   |  |
|                                | TWA           | 260 mg/m3 |  |
|                                |               | 200 ppm   |  |

## **Biological limit values**

**ACGIH Biological Exposure Indices** 

| Components             | Value   | Determinant | Specimen | Sampling Time |
|------------------------|---------|-------------|----------|---------------|
| Methanol (CAS 67-56-1) | 15 mg/l | Methanol    | Urine    | *             |

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

US - California OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Methanol (CAS 67-56-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Liquid Emulsion

Color Off-white
Odor Sweet
Odor threshold Not available.
pH Not available.

Melting point/freezing point  $< 40 \,^{\circ}\text{F} (< 4.4 \,^{\circ}\text{C})$  estimated Initial boiling point and boiling  $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$  estimated

range

Material name: DEFOAM S SDS US

Flash point None

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 1.0 mm Hg estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Dispersible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 8.67 lb/gal

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile > 70 % estimated

Specific gravity 1.04

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity Not available.

**Skin corrosion/irritation**Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Material name: DEFOAM S SDS US

Respiratory or skin sensitization

**ACGIH** sensitization

Formaldehyde (CAS 50-00-0) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Formaldehyde (CAS 50-00-0) Cancer **US. National Toxicology Program (NTP) Report on Carcinogens** 

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity Not applicable. Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

**Further information** This product has no known adverse effect on human health.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Formaldehyde 0.35 Methanol -0.77

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and Not regulated as dangerous goods.

the IBC Code

Material name: DEFOAM S SDS US

# 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Formaldehyde (CAS 50-00-0) Listed. Methanol (CAS 67-56-1) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Skin sensitization Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |  |
|---------------|------------|----------|--|
| Formaldehyde  | 50-00-0    | 0.1 - 1  |  |
| Methanol      | 67-56-1    | 0.1 - 1  |  |

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act Not regulated.

(SDWA)

## **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

#### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

#### **US. Massachusetts RTK - Substance List**

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

# US. New Jersey Worker and Community Right-to-Know Act

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

# **US. Rhode Island RTK**

Formaldehyde (CAS 50-00-0) Methanol (CAS 67-56-1)

Material name: DEFOAM S SDS US

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

#### **International Inventories**

Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

· ·

On inventory (yes/no)\*

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 05-21-2015

 Revision date
 05-24-2016

Version # 04

**Disclaimer** The manufacturer cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties

Physical and chemical properties: Form Toxicological Information: Toxicological Data HazReg Data: International Inventories

Material name: DEFOAM S SDS US